



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/556,777	04/25/2000	Akira Goda	0039-7692-2S	8088

7590 05/22/2003

OBLON SPIVAK MCCLELLAND MAIER NEUSTADT  
1755 JEFFERSON DAVIS HIGHWAY  
ARLINGTON, VA 22202

EXAMINER
----------

SOWARD, IDA M

ART UNIT	PAPER NUMBER
----------	--------------

2822

DATE MAILED: 05/22/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

09/556,777

Applicant(s)

GODA ET AL.

Examiner

Ida M Soward

Art Unit

2822

-- **Th MAILING DATE of this communication app ars on the cover sheet with the correspondence address --**

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 04 March 2003.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 6-10, 15-18 and 26-68 is/are pending in the application.
- 4a) Of the above claim(s) 6-10 and 15-18 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 26-68 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

## Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

## Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

## DETAILED ACTION

This Office Action is in response to the Applicants' amendment filed March 4, 2003.

### *Specification*

The objection to the title has been withdrawn due to the amendment filed.

### *Claim Rejections - 35 USC § 103*

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 26-27, 29, 38, 42, 45-49, 51, 53, 62 and 66 are rejected under 35 U.S.C. 103(a) as being unpatentable over Admitted Prior Art Figures 1-2D in view of Tottori (5,479,054) and Lee (5,747,370).

Admitted Prior Art Figures 1-2D teach a nonvolatile memory device, comprising: a semiconductor substrate 101 having a peripheral circuit region and a memory cell region; a first element region provided in the peripheral circuit region; a second element region provided in the memory cell region; a first element isolation region provided in the semiconductor substrate, the first element isolation region isolating the first element region; a second element isolation region provided in the semiconductor substrate, the

second element isolation region isolating the second element region; a first transistor having source and drain diffusion layers 106' each provided in the first element region; a second transistor having source and drain diffusion layers 106' each provided in the second element region; an insulating film covering the first and second transistors and first and second element isolation regions; oxidized gate electrodes; and a third transistor having source and drain diffusion layers each provided in the second element region, wherein the second transistor; erasable, programmable memory cell and selection gate transistors; an inter-level insulating film 107 provided on the insulating film, the inter-level insulating film containing another insulator different from the insulating film; a contact hole provided in the inter-level insulating film and the insulating film, and contact hole reaching at least one of the source and drain diffusion layers; and a contact 110 provided in the contact hole, the contact electrically connected to the at least one of the source and drain layers; the insulating film is an etch stop of the contact hole; and the contact hole overlaps the second element isolation, wherein the width is wider than the width of an element region. However, Admitted Prior Art Figures 1-2D fail to teach an insulating film being harder for an oxidizing agent to pass therethrough, compared with a silicon oxide film, and the insulating film being oxidized. Tottori teaches an insulating film 2, which contains silicon nitride, being harder for an oxidizing agent to pass therethrough, compared with a silicon oxide film (Figure 1, col. 11, lines 45-55). Lee teaches an insulating film 34 being oxidized (Figures 3B-3E, cols. 3-4, lines 66-67 and 1-26, respectively). Since Admitted Prior Art Figures 1-2D, Tottori and Lee are from the same field of endeavor (semiconductor devices), the purpose disclosed by

Art Unit: 2822

Lee would have been recognized in the pertinent art of Since Admitted Prior Art Figures 1-2D and Tottori. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the nonvolatile semiconductor memory device of Since Admitted Prior Art Figures 1-2D by incorporating the oxidation prevention of Tottori and the oxidized insulating film of Lee to carry out oxidation of the entire surface of the substrate (col. 3, lines 66-67).

Claim 50 is rejected under 35 U.S.C. 103(a) as being unpatentable over Admitted Prior Art Figures 1-2D, Tottori (5,479,054) and Lee (5,747,370) as applied to claims 26-27, 29, 38, 42, 45-49, 51, 53, 62 and 66 above, and further in view of Hayakawa et al. (5,766,996).

Admitted Prior Art Figures 1-2D, Tottori and Lee teach all mentioned in the rejection above. However, Admitted Prior Art Figures 1-2D, Tottori and Lee fail to teach another insulating film provided under the insulating film and over the first and second transistors and over isolation regions, the another insulating film containing another insulator different from the insulating film. Hayakawa et al. teach another insulating film 11 provided under the insulating film 8 and over the first and second transistors and over isolation regions, the another insulating film containing another insulator different from the insulating film (Figure 1h, cols. 3-4, lines 21-67 and 1-27, respectively). Since Admitted Prior Art Figures 1-2D, Tottori, Lee and Hayakawa et al. are from the same field of endeavor (semiconductor devices), the purpose disclosed by Hayakawa et al. would have been recognized in the pertinent art of Since Admitted Prior Art Figures 1-

Art Unit: 2822

2D, Tottori and Lee. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the nonvolatile semiconductor memory device of Since Admitted Prior Art Figures 1-2D, the oxidation prevention of Tottori and the oxidized insulating film of Lee by incorporating the another insulating film of Hayakawa et al. to prevent the interlayer insulating layer from being oxidized more than necessary (abstract).

Claims 28 and 52 are rejected under 35 U.S.C. 103(a) as being unpatentable over Admitted Prior Art Figures 1-2D, Tottori (5,479,054) and Lee (5,747,370) as applied to claims 26-27, 29, 38, 42, 45-49, 51, 53, 62 and 66 above, and further in view of Saito et al. (4,467,452).

Admitted Prior Art Figures 1-2D, Tottori and Lee teach all mentioned in the rejection above. However, Admitted Prior Art Figures 1-2D, Tottori and Lee fail to teach an insulating film having a thickness of at most 50 nm. Saito et al. teach an insulating film 66 having a thickness ranging from 40 to 60 nm (col. 6, lines 53-62), which falls within the range of at most 50 nm. Since Admitted Prior Art Figures 1-2D, Tottori, Lee and Saito et al. are from the same field of endeavor (semiconductor devices), the purpose disclosed by Saito et al. would have been recognized in the pertinent art of Since Admitted Prior Art Figures 1-2D, Tottori and Lee. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the nonvolatile semiconductor memory device of Since Admitted Prior Art Figures 1-2D, the oxidation prevention of Tottori and the oxidized insulating film of Lee

Art Unit: 2822

by incorporating the insulating film thickness of Saito et al. to provide a nonvolatile memory device with an excellent storage retention time (col. 3, lines 47-50).

Claims 30-31 and 54-55 are rejected under 35 U.S.C. 103(a) as being unpatentable over Admitted Prior Art Figures 1-2D, Tottori (5,479,054) and Lee (5,747,370) as applied to claims 26-27, 29, 38, 42, 45-49, 51, 53, 62 and 66 above, and further in view of Tseng (5,731,130).

Admitted Prior Art Figures 1-2D, Tottori and Lee teach all mentioned in the rejection above. However, Admitted Prior Art Figures 1-2D, Tottori and Lee fail to teach an oxidized silicon nitride film, wherein a thickness of the oxidized region of the silicon nitride film is at least 1 nm and at most 10 nm. Tseng teaches an oxidized silicon nitride film, wherein a thickness of the oxidized region of the silicon nitride film is at least 1 nm and at most 10 nm (col. 8, lines 42-49). Since Admitted Prior Art Figures 1-2D, Tottori, Lee and Tseng are from the same field of endeavor (semiconductor devices), the purpose disclosed by Tseng would have been recognized in the pertinent art of Since Admitted Prior Art Figures 1-2D, Tottori and Lee. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the nonvolatile semiconductor memory device of Since Admitted Prior Art Figures 1-2D, the oxidation prevention of Tottori and the oxidized insulating film of Lee by incorporating the oxidized silicon nitride film of Tseng to the limitation of alignment tolerances (col. 2, lines 48-52).

Art Unit: 2822

Claims 32-33 and 56-57 are rejected under 35 U.S.C. 103(a) as being unpatentable over Admitted Prior Art Figures 1-2D, Tottori (5,479,054) and Lee (5,747,370) as applied to claims 26-27, 29, 38, 42, 45-49, 51, 53, 62 and 66 above, and further in view of Yokoi et al. (4,866,003).

Admitted Prior Art Figures 1-2D, Tottori and Lee teach all mentioned in the rejection above. However, Admitted Prior Art Figures 1-2D, Tottori and Lee fail to teach a hydrogen containing silicon nitride film having a concentration of at most  $3 \times 10^{21}$  atoms/cm<sup>3</sup>. Yokoi et al. teach a hydrogen containing silicon nitride film 12 having a concentration of at most  $3 \times 10^{21}$  atoms/cm<sup>3</sup> (col. 3, lines 37-41). Also, it is well known in the semiconductor art for the concentration of an impurity to be higher at the surface and decreases deeper into the material. Since Admitted Prior Art Figures 1-2D, Tottori, Lee and Yokoi et al. are from the same field of endeavor (semiconductor devices), the purpose disclosed by Yokoi et al. would have been recognized in the pertinent art of Since Admitted Prior Art Figures 1-2D, Tottori and Lee. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the nonvolatile semiconductor memory device of Since Admitted Prior Art Figures 1-2D, the oxidation prevention of Tottori and the oxidized insulating film of Lee by incorporating the hydrogen containing silicon nitride film of Yokoi et al. to provide a semiconductor device which is free from the deterioration in device characteristics due to hot carriers by having a reduced amount of hydrogen in the silicon nitride (col. 2, lines 9-12).



Art Unit: 2822

Claims 34-37, 39-41, 43-44, 58-61, 63-65 and 67-68 are rejected under 35 U.S.C. 103(a) as being unpatentable over Admitted Prior Art Figures 1-2D, Tottori (5,479,054) and Lee (5,747,370) as applied to claims 26-27, 29, 38, 42, 45-49, 51, 53, 62 and 66 above, and further in view of Ma (US 6,211,548 B1).

Admitted Prior Art Figures 1-2D, Tottori and Lee teach all mentioned in the rejection above. Admitted Prior Art Figures 1-2D further teach a gate electrode of each of the first and second transistors is a stacked gate structure including a floating gate 103a and a control gate 103c, wherein the floating gate of the selection gate transistor is electrically connected to the control gate of the selection gate transistor and the gate electrode of the erasable and programmable memory cell transistor is a stacked gate structure including a floating gate and a control gate. However, Admitted Prior Art Figures 1-2D, Tottori and Lee fail to teach a metal or metal silicide gate electrode, wherein the metal contains tungsten. Ma teaches a metal or metal silicide gate electrode, wherein the metal contains tungsten (claim 16). Since Admitted Prior Art Figures 1-2D, Tottori, Lee and Ma are from the same field of endeavor (semiconductor devices), the purpose disclosed by Ma would have been recognized in the pertinent art of Since Admitted Prior Art Figures 1-2D, Tottori and Lee. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the nonvolatile semiconductor memory device of Since Admitted Prior Art Figures 1-2D, the oxidation prevention of Tottori and the oxidized insulating film of Lee by incorporating the a metal or metal silicide gate electrode of Ma to significantly reduce wordline RC delay without any die area penalty (col. 4, lines 9-11).

### ***Response to Arguments***

Applicant's arguments with respect to claims 26-68 have been considered but are moot in view of the new ground(s) of rejection.

### ***Conclusion***

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

The following patents are cited to further show the state of the art with respects to nonvolatile semiconductor memory devices:

Choi (US 6,228,714 B1)

Kuriyama (5,945,715)

Mori (US 6,501,127 B2)

Uehara et al. (6,034,416).


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ida M Soward whose telephone number is 703-305-3308. The examiner can normally be reached on Monday - Thursday, 6:30 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Amir Zarabian can be reached on 703-308-4905. The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9318 for regular communications and 703-872-9319 for After Final communications.

Art Unit: 2822

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0956.

ims  
May 17, 2003



Stephen D. Meler  
Primary Examiner